



## Sasol Solvents Sales specification

### Propylol

**Product code** 2040  
**Description** C3 / C4 alcohol distillation cut.

#### Specifications

Properties	Units	Limits	Test Methods
Appearance		Clear and bright	ASTM E2680
Colour	Pt-Co	5 max	ASTM D1209; ASTM D5386
Water	mass %	0.10 max	ASTM D1364
n-Propanol	mass %	85.0 min	GC
sec-Butanol	mass %	12.0 max	GC
Total hydrocarbons	mass %	0.40 max	GC

Further Properties	Units	Typical values	Test Methods
Density at 20 °C	g/ml	0.803 – 0.804	ASTM D4052
Distillation at 101.3 kPa: Initial boiling point	°C	97.0	ASTM D1078
Dry point	°C	102.0	
Flashpoint (closed cup) at 101.3 kPa	°C	26	ASTM D93

(Revision 2: November 2012)

The Sales Specification values are continuously checked, documented and stored within the scope of quality assurance. Further properties are of an informational nature only and are not checked regularly. If the Sales Specifications are complied with, it can generally be assumed that all further properties and typical data conform to the values given.

#### Disclaimers

Because of the nature of our manufacturing processes, our products do not contain any plant and animal products. It is the responsibility of our customers to determine that their use of our product(s) is safe, lawful and technically suitable in their intended applications.

**Batch no :** .....

**Signed by :** .....

Head Office  
2 Sturdee Avenue  
Rosebank  
2196  
Telephone (+27)11 280 0000  
Facsimile (+27)11 280 0198

Durban Office  
The Marine - Suite 1101  
22 Gardiner Street  
Durban  
4000  
Telephone (+27)31 306 0000  
Facsimile (+27)31 306 0100

Sasol Chemicals North America  
900 Threadneedle, Suite 100  
Houston, TX 77079  
United States of America  
Telephone (+1)281 588 3000  
Facsimile (+1)281 588 3041

Sasol Germany GmbH  
Anckelmannsplatz 1  
20537  
Hamburg  
Germany  
Telephone (+49)40 530366 0  
Facsimile (+49)40 530366 1753

Sasol Chemicals Pacific Ltd.  
#2409 Shui On Centre  
6-8 Harbour Road  
Wanchai  
Hong Kong SAR  
Telephone (+852)2 827 6600  
Facsimile (+852)2 828 7645

Sasol Japan  
PO Box 46, St. Luke's Tower 35F  
8-1, Akashiko, Shou-ku, Tokyo  
1046591, Japan  
Telephone (+81)3 3248 6711  
Facsimile (+81)3 3248 6715

Sasol Chemicals Pacific Ltd.  
#06-01 SGX Centre 1  
2 Shenton Way  
Singapore  
Telephone (+65) 533 8856  
Facsimile (+65) 533 8869

Sasol Middle East FZCo  
Office 102, First floor  
Leased office building number 14  
Units 101-103  
Jebel ali free zone  
Telephone (+971)4 8817 856  
Facsimile (+971)4 8819 040

Sasol Chemicals (Shanghai) Co. Ltd.  
Unit 1104, You You International Plaza  
No. 75 Pujian Road, Pudong District  
Shanghai, 200127  
China  
Telephone (+862)1 5108 6747  
Facsimile (+862)1 5836 5601